

IN THE CLAIMS:

Please cancel Claims 15 and 16, without prejudice to or disclaimer of the subject matter recited therein.

1. (Original) A birefringence measuring apparatus, comprising:  
a light projecting unit for projecting approximately circularly polarized light upon a sample;  
a Stokes meter for detecting a state of polarization of light from the sample; and  
calculating means for calculating birefringence of the sample on the basis of a Stokes parameter from said Stokes meter.

2. (Original) An apparatus according to Claim 1, wherein said light projecting unit includes a light source and converting means for converting light from the light source into approximately circularly polarized light.

3. (Original) An apparatus according to Claim 2, wherein said converting means includes a phase difference plate.

4. (Original) An apparatus according to Claim 2, wherein the light from the light source has a wavelength not greater than 370 nm.

5. (Original) An apparatus according to Claim 2, wherein the light from the light source has a wavelength not greater than 200 nm.

6. (Original) An apparatus according to Claim 1, further comprising a dividing unit including three optical elements having the same reflection characteristic and the same transmission characteristic.

7. (Original) An apparatus according to Claim 1, wherein said calculating means calculates the birefringence of the sample on the basis of the following equations:

$$B = \frac{\pi}{2} - \arcsin\left(\frac{S_3}{S_0}\right)$$
$$\phi = -\frac{\pi}{4} + \frac{1}{2} \arctan\left(\frac{S_2}{S_1}\right)$$

where B is the amount of birefringence,  $\phi$  is a phase advance axis angle,  $S_0 - S_3$  are Stokes parameters wherein  $S_0$  is a total light quantity,  $S_1$  is a horizontal linear polarization component,  $S_2$  is a +45 degree linear polarization component, and  $S_3$  is a clockwise circular polarization component.

8. (Original) An apparatus according to Claim 1, further comprising a memory for memorizing birefringence measured by said birefringence measuring apparatus without a sample,

wherein said calculating means calculates the birefringence of the sample also on the basis of the birefringence memorized in said memory.

Claims 9-16. (Canceled)